

Catalogue

Cescha

















Ceschal

Your partner for over 100 years

















The Company




Lescha, the company with tradition, was established in 1907 as construction company and over the decades it has become the world's largest manufacturer of concrete and mortar mixers.

One of the highlights of the corporate history was the first patent granted for a machine for mixing concrete and mortar in 1927. Operated as family-owned business until 1997, Lescha was acquired at that time by the French Altrad Group.

In the course of this event, the product range experienced a significant expansion by incorporating construction-related articles from the production of the new sister companies.

Today, it encompasses the product families of concrete mixers, formwork supports, scaffold trestles and transport devices as well as wheelbarrows and hand trucks.

Embedded in the organisation of the worldwide operating Altrad Group we are the world's number 1 for concrete mixers, number 1 in Europe for façade scaffolding and wheelbarrows and last but not least, number 1 in the homeland of the group, France, for communal products and formwork supports. We are your reliable partner for over 100 years with products all about building and construction.



Concrete mixers

Concrete mixer ABM P 135 L

AC-motor	230 V~ 50 Hz		
Input power P ₁	700 W		
Drum capacity approx.	130 litres		
Wheels	plastic Ø 200 mm		
Dimensions	1220 x 700 x 1280 mm		
Protection class	IP44		
Sound power level LwA	94.5 dB(A)		
Weight approx.	47.5 kg		
Order-no.	04721220		
Accession	222 112 112		





- ▶ special mixing rake shape, drum capacity approx. 130 litres
- ▶ large hand wheel with foot rest adjustment
- ▶ powder-coated for long service life
- break-proof rim gear from steel sheet, drive sprocket from grey cast iron



Concrete mixer SBM P 135 L

AC-motor	230 V~ 50 Hz		
Input power P ₁	700 W		
Drum capacity approx.	130 litres		
Wheels	plastic Ø 200 mm		
Dimensions	1140 x 715 x 1330 mm		
Protection class	IP44		
Sound power level LwA	88.4 dB(A)		
Weight approx.	55.5 kg		
Order-no.	04721222-1		
Accessories	see page 82		





- ▶ special mixing rake shape, drum capacity approx. 130 litres
- ▶ large hand wheel with multi-stop system
- ▶ powder-coated for long service life
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron



Lescha



Concrete mixer SBM P 150 L

AC-motor	230 V~ 50 Hz
Input power P ₁	700 W
Drum capacity approx.	145 litres
Wheels	plastic Ø 200 mm
Dimensions	1200 x 715 x 1300 mm
Protection class	IP44
Sound power level LwA	88.0 dB(A)
Weight approx.	61.5 kg
Order-no.	91321202-1
Accessories	see nage 82





- ▶ special mixing rake shape, drum capacity approx. 145 litres
- ▶ large hand wheel with multi-stop system
- ▶ powder-coated for long service life
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron



Concrete mixer SBM P 165 L

AC-motor	230 V∼ 50 Hz
Input power P ₁	700 W
Drum capacity approx.	155 litres
Wheels	plastic Ø 200 mm
Dimensions	1200 x 715 x 1360 mm
Protection class	IP44
Sound power level LwA	88.0 dB(A)
Weight approx.	62.5 kg
Order-no.	91421202-1
Accessories	see page 82





- ▶ special mixing rake shape, drum capacity approx. 155 litres
- ▶ large hand wheel with multi-stop system
- ▶ powder-coated for long service life
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron

Concrete mixer Euromix 125

AC-motor	230 V∼ 50 Hz	
Input power P ₁	500 W	
Drum capacity approx.	125 litres	
Wheels	plastic Ø 240 mm	
Dimensions	1130 x 715 x 1330 mm	
Protection class	IP44	
Sound power level LwA	88.4 dB(A)	
Weight approx.	53.5 kg 55.5 kg*	
Order-no.	04601222	
*carton packed	04631222	
Accessories	see page 82	





- ▶ special mixing rake shape, drum capacity approx. 125 litres
- ▶ ergonomic hand wheel with multi-stop system
- ▶ powder-coated for long service life
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron



Concrete mixer SM 145 S

Electric motor	230 V~ 50 Hz	400 V3~ 50 Hz
Input power P ₁	500 W	
Drum capacity approx.	140) litres
Wheels	plastic	Ø 240 mm
Dimensions	1320 x 71	5 x 1330 mm
Protection class	I	P45
Sound power level LwA		dB(A)
Weight approx.	61.5 kg	69.0 kg*
Order-no.		
multi-stop system	0340120	2 03402202

*disc brake & Foot control



03401202 | 03402202 03401203 | 03402203



- ▶ drum capacity approx. 140 litres; powder-coated
- ▶ ergonomic hand wheel with multi-stop system or with disc brake and foot control* for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ motor housing from impact-resistant plastic, jet-proof

DGUV tested C E

Lescha



Concrete mixer SM 165 S

Electric motor 230 V~ 50 Hz | 400 V3~ 50 Hz Input power P₁ 500 W Drum capacity approx. 160 litres solid rubber Ø 400 mm Wheels 1320 x 830 x 1410 mm **Dimensions** Protection class IP45 Sound power level LwA 89.5 dB(A) 83.5 kg Weight approx. Order-no. 07401203 07402203





- ▶ drum capacity approx. 160 litres; powder-coated
- ergonomic hand wheel with disc brake and foot control for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ motor housing from impact-resistant plastic, jet-proof

Concrete mixer SM 165 G

Petrol engine	Briggs & Stratton, 4-stroke		
Engine power	1.2 kW		
Drum capacity approx.	160 litres		
Wheels	solid rubber Ø 400 mm		
Dimensions	1440 x 830 x 1410 mm		
Protection class	IP44		
Sound power level LwA	106.2 dB(A)		
Weight approx.	101.5 kg		
Order-no.	07505203		





- ▶ drum capacity approx. 160 litres; powder-coated
- ergonomic hand wheel with disc brake and foot control for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ powerful Briggs & Stratton 4-stroke petrol engine



Concrete mixer SM 185 S

Electric motor 230 V~ 50 Hz 400 V3~ 50 Hz Input power P₁ 1000 W 180 litres Drum capacity approx. Wheel solid rubber Ø 400 mm 1460 x 830 x 1400 mm **Dimensions** Protection class IP45 Sound power level LwA 89.5 dB(A) Weight approx. 101.5 kg Order-no. 08001203 08002203





- ▶ drum capacity approx. 180 litres; powder-coated
- ergonomic hand wheel with disc brake and foot control for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ motor housing from impact-resistant plastic, jet-proof



Concrete mixer S 180

230 V~ 50 Hz 400 V3~ 50 Hz Electric motor 1600 W 1250 W Input power P₁ on request Petrol engine Drum capacity approx. 180 litres Wheels solid rubber Ø 400 mm 1550 x 830 x 1390 mm **Dimensions** Protection class IP44 Sound power level L_{wa} (electric motors) 89.5 dB(A) 106.0 kg Weight approx. Order-no. 11101203 11102203





- ▶ drum capacity approx. 180 litres; powder-coated
- ergonomic hand wheel with disc brake and foot control for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ smooth running slewing gear



Lescha



Concrete mixer S 230

Electric motor 230 V~ 50 Hz 400 V3~ 50 Hz Input power P₁ 1600 W 1250 W Petrol engine on request 225 litres Drum capacity approx. Wheels solid rubber Ø 400 mm Dimensions 1550 x 830 x 1440 mm Protection class IP44 Sound power level Lwa (electric motors) 96.3 dB(A) Weight approx. 126.5 kg Order-no. 12201203 | 12202203





- ▶ drum capacity approx. 225 litres; powder-coated
- large hand wheel with disc brake and foot control for infinitely variable adjustment
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- ▶ smooth running slewing gear

Concrete mixer AT 350

230 V~ 50 Hz 400 V3~ 50 Hz Electric motor 1500 W 1250 W Input power P₁ Petrol-/ diesel engine on request Drum capacity approx. 340 litres Wheels pneumatic tyres 135 / 13 inch Road approval up to 25 km/h Dimensions 940 x 1940 x 1600 mm Sound power level L_{wA} (electric motors) 94 dB(A) Weight approx. 305.0 kg Order-no. 96601602 96602602

blue 96601600





- ▶ drum capacity approx. 340 litres; powder-coated
- ▶ large hand wheel with infinitely variable swivel gear
- ▶ abrasion-resistant rim gear & drive sprocket from grey cast iron
- \blacktriangleright spring-cushioned undercarriage with pneumatic tyres

